sure, a flat spot may not be rapidly worn on the driven wheel. The driven wheels, therefore,

KEYS AND KEYSEATS

KEYS AND KEYSEATS

ANSI Standard Keys and Keyseats. - American National Standard, B17.1 Keys and Keyseats, based on current industry practice, was approved in 1967, and reaffirmed in 1989. This standard establishes a uniform relationship between shaft sizes and key sizes for parallel and taper keys as shown in Table 1. Other data in this standard are given in Tables 2 and 3 through 7. The sizes and tolerances shown are for single key applications only.

The following definitions are given in the standard:

Key: A demountable machinery part which, when assembled into keyseats, provide positive means for transmitting torque between the shaft and hub.

Keyseat: An axially located rectangular groove in a shaft or hub.

This standard recognizes that there are two classes of stock for parallel keys used by industry. One is a close, plus toleranced key stock and the other is a broad, negative toleranced bar stock. Based on the use of two types of stock, two classes of fit are shown:

Class 1: A clearance or metal-to-metal side fit obtained by using bar stock keys and keyseat tolerances as given in Table 4. This is a relatively free fit and applies only to parallel keys.

Class 2: A side fit, with possible interference or clearance, obtained by using key stock and keyseat tolerances as given in Table 4. This is a relatively tight fit.

Class 3: This is an interference side fit and is not tabulated in Table 4 since the degree of interference has not been standardized. However, it is suggested that the top and bottom fit range given under Class 2 in Table 4, for parallel keys be used.

are usually made of iron, while the driving wheels are made of or covered with, rubber, paper, leather, wood or fiber. The safe working force per inch of face width of contact for various materials are as follows: Straw fiber, 150; leather fiber, 240; tarred fiber, 240; leather, 150; wood, 100 to 150; paper, 150. Coefficients of friction for different combinations of materials are given in the following table. Smaller values should be used for exceptionally high speeds, or when the transmission must be started while under load.

Horsepower of Friction Wheels.—Let D = diameter of friction wheel in inches; N =Number of revolutions per minute; W = width of face in inches; f = coefficient of friction; P = force in pounds, per inch width of face. Then:

 $H.P. = \frac{3.1416 \times D \times N \times P \times W \times f}{33,000 \times 12}$

 $3.1416 \times P \times f - C$ s where wooden brake blocks a 33,000 × 12

for P = 100 and f = 0.20, C = 0.00016

for P = 150 and f = 0.20, C = 0.00024

for P = 200 and f = 0.20, C = 0.00032

Working Values of Coefficient of Friction

Materials	Coefficient of Friction	Materials	Coefficient of Friction
Straw fiber and cast iron	0.26	Tarred fiber and aluminum	0.18
Straw fiber and aluminum Leather fiber and cast iron	0.27	Leather and cast iron Leather and aluminum	0.22
Leather fiber and aluminum Tarred fiber and cast iron	0.30	Leather and typemetal Wood and metal	0.25
Paper and cast iron	0.20	and the second second second	Call and Land

The horsepower transmitted is then:

= weight hung on brake arm of HP =
$$D \times N \times W \times C$$

Example: Find the horsepower transmitted by a pair of friction wheels; the diameter of the driving wheel is 10 inches, and it revolves at 200 revolutions per minute. The width of the wheel is 2 inches. The force per inch width of face is 150 pounds, and the coefficient of friction 0.20.

$$HP = 10 \times 200 \times 2 \times 0.00024 = 0.96 \text{ horsepower}$$

Horsepower Which May be Transmitted by Means of a Clean Paper Friction Wheel of One-inch Face when Run Under a Force of 150 Pounds (Rockwood Mfg. Co.)

Dia. of	Revolutions per Minute										
FrictionWheel	25	50	75	100	150	200	300	400	600	800	1000
Principole 17 mest	The state of the s	0.047	0.071	0.095	0.142	0.190	0.285	0.380	0.571	0.76	0.95
4 110	0.023	1000000		0.142	0.214	0.285	0.428	0.571	0.856	1.14	1,42
6	0.035	0.071	0.107	0.190	0.285	0.380	0.571	0.761	1.142	1.52	1.90
8	0.047	0.095	0.142	0.190	0.357	0.476	0.714	0.952	1.428	1.90	2.38
10	0.059	0.119	0.178		0.337	0.666	0.999	1.332	1.999	2.66	3.33
14	0.083	0,166	0.249	0.333	0.571	0.761	1.142	1.523	2.284	3.04	3.80
16	0.095	0.190	0.285	0.380		0.856	1.285	1.713	2.570	3.42	4.28
18	0.107	0.214	0.321	0.428	0.642		1.713	2.284	3.427	4.56	5.71
24	0.142	0.285	0.428	0.571	0.856	1.142		2.856	4.284	5.71	7.14
1 b:301 long	0.178	0.357	0.535	0.714	1.071	1.428	2.142	3.427	5.140	6.85	8,56
of in 36 support	0.214	0.428	0.642	0.856	1.285	1.713	2.570	E. C.A.SPG533.	5,997	7.99	9.99
42	0.249	0.499	0.749	0.999	1.499	1.999	2.998	3.998	# 1577 C. CO. C.	H 04-300000000	11.42
48	0.285	0.571	0.856	1.142	1.713	2.284	3.427	4.569	6.854	9.13	11.90
50	0.297	0.595	0.892	1.190	1.785	2.380	3,570	4.760	7.140	9.52	11.30

Table 1. Key Size Versus Shaft Diameter ANSI B17.1-1967 (R1998)

Nominal Shaft Diameter			Nominal Key Siz	Normal Keyseat Depth			
488 1 889		53.715	н н	eight, H	H/2		
Over	To (Incl.)	Width, W	Square	Rectangular	Square	Rectangular	
\$ ₁₀	3/16	Y _N 2	1/2	18.28	¥64		
36	9/03/03/	4	W. C. S. C.	Y ₀	V _{io}	Y ₆₄	
916	No. of the last	Y ₁₆	Y ₁₆	1/4	1/2	V ₈₆	
76	1%00000	1400	1/4	Y ₁₆	16	3/12	
1%(00.0	13/2	5° ₁₆	3 ₁₆	14	1/2	1/4	
1%	11/4	*	N.	4	Y ₁₆	1/4	
11/4	21/4	4	V ₂	X.	Y ₄	7,6	
21/4	21/4	Acre	North	7/6	No.	1/20	
21/4	31/4	34130	No.	140-150	3,	1/4	
31/4	37/4	3	No.	No.	76	Y ₁₀	
31/4	41/2	1,550	1 200	74	1/2	7,	
41/2	51/2	11/4	11/4/2010	34.77	1/4	7 ₁₆	
51/2.8	61/2	135	11/2	1889	34	8	
1,708	Square F	Ceys preferred for sh	aft diameters abo	we this line; rectangul	ar keys, below	H Dett	
6½	71/2	11/4	11/4	11/2	34	1/4	
71/2	9	2	2	11/2	1	1,000	
9	B 2502	21/2	219	134	11/4	76	

^a Some key standards show 1½ inches; preferred height is 1½ inches.

All dimensions are given in inches. For larger shaft sizes, see ANSI Standard Woodruff Keys and

Key Size vs. Shaft Diameter: Shaft diameters are listed in Table 1 for identification of various key sizes and are not intended to establish shaft dimensions, tolerances or selections. For a stepped shaft, the size of a key is determined by the diameter of the shaft at the

point of location of the key. Up through $6\frac{1}{2}$ inch diameter shafts square keys are preferred; rectangular keys are preferred for larger shafts.

If special considerations dictate the use of a keyseat in the hub shallower than the preferred nominal depth shown, it is recommended that the tabulated preferred nominal standard keyseat always be used in the shaft.

Keyseat Alignment Tolerances: A tolerance of 0.010 inch, max is provided for offset (due to parallel displacement of keyseat centerline from centerline of shaft or bore) of keyseats in shaft and bore. The following tolerances for maximum lead (due to angular displacement of keyseat centerline from centerline of shaft or bore and measured at right angles to the shaft or bore centerline of keyseats in shaft and bore are specified: 0.002 inch for keyseat length up to and including 4 inches; 0.0005 inch per inch of length for keyseat lengths above 4 inches to and including 10 inches; and 0.005 inch for keyseat lengths above 10 inches. For the effect of keyways on shaft strength, see Effect of Keyways on Shaft Strength on page 305.





Table 2. Depth Control Values S and T for Shaft and Hub

ANSI B17.1-1967 (R1998)

Nominal Shaft	Shafts, Pa	rallel and Taper	Hub	s, Parallel	Hubs, Taper		
	Square	Rectangular	Square	Rectangular	Square	Rectangular	
Diameter	S	S	T	T	T		
1/2	0.430	0.445	0.560	0.544	0.535	0.519	
9/26	0.493	0.509	0.623	0.607	0.598	0.582	
1/4	0.517	0.548	0.709	0.678	0.684	0.653	
11/16	0.581	0.612	0.773	0.742	0.748	0.717	
10%	0.644	0.676	0.837	0.806	0.812	0.781	
13/16	0.708	0.739	0.900	0.869	0.875	0.844	
76	0.771	0.802	0.964	0.932	0.939	0.907	
15/26	0.796	0.827	1.051	1.019	1.026	0.994	
1	0.859	0.890	1.114	1.083	1.089	1.058	
11/16	0.923	0.954	1.178	1.146	1.153	1.121	
1%	0.986	1.017	1.241	1.210	1.216	1.185	
13/16	1.049	1.080	1.304	1.273	1.279	1.248	
11/4	1.112	1.144	1.367	1.336	1.342	1.311	
13/16	1.137	1.169	1,455	1.424	1.430	1.399	
13%	1.201	1.232	1.518	1.487	1.493	1.462	
17/16	1.225	1.288	1.605	1.543	1.580	1.518	
11/2	1.289	1.351	1.669	1.606	1.644	1.581	
11/2	1.352	1.415	1.732	1.670	1,707	1.645	
15%	1.416	1,478	1.796	1.733	1.771	1.708	
111/16	1,479	1.541	1.859	1.796	1.834	1.771	
11/4	1,542	1.605	1.922	1.860	1.897	1.835	
111/16	1.527	1.590	2.032	1.970	2.007	1.945	
13%	1,591	1.654	2.096	2.034	2.071	2.009	
115/16	1.655	1.717	2,160	2.097	2.135	2.072	
2	1.718	1.781	2.223	2.161	2.198	2.136	
21/16	1.782	1.844	2.287	2.224	2.262	2.199	
21/4	1.845	1.908	2.350	2.288	2.325	2.263	
21/16	1.909	1.971	2.414	2.351	2.389	2.326	
21/4	1.972	2.034	2.477	2.414	2.452	2.389	
25/16	1.957	2.051	2.587	2.493	2.562	2.468	
23/	2.021	2.114	2.651	2.557	2.626	2.532	

Table 2. (Continued) Depth Control Values S and T for Shaft and Hub

ANSI B17.1-1967 (R1998)

Type	Shafts, Pa	rallel and Taper	Hub	os, Parallel	Hubs, Taper		
Nominal Shaft Diameter	Square	Rectangular	Square	Rectangular	Square	Rec	ctangula
	5 5 5	11.5	T	Tottere	T	T	
21/16	2.084	2.178	2.714	2.621	2.689	W	2.596
21/2	2,148	2.242	2.778	2.684	2.753	036	2.659
2%	2.211	2.305	2.841	2.748	2.816	100	2.723
	2.275	2.369	2.905	2.811	2.880	taper	2.786
2%	2.338	2.432 dalla	2.968	2.874	2.943	2000	2.849
211/36	2.402	2.495	3.032	2.938	3.007		2.913
23/4	2.387	2.512	3,142	3.017	3,117		2.992
213/16	2.450	2.575	3.205	3.080	3,180	100	3.055
21/8	2.514	2.639	3.269	3.144	3.244		3.119
215/16	2.577	2.702	3.332	3.207	3.307	SCT.	3.182
31/16	2.641	2.766	3.396	3.271	3.371	110.	3.246
31/4	2.704	2.829	3.459	3.334	3.434	100	3,309
33/6	2.768	2.893	3,523	3.398	3.498	HO	3.373
	2.831	2.956	3.586	3.461	3.561	100	3.436
314	2.816	2.941	3.696	3.571	3.671	000	3.546
3%	2.880	3.005	3.760	3.635	3.735	000	3.610
	2.94300	3.068	3,823	3,698	3.798	010	3.673
000.037/16	3.007	3,132	3.887	3.762	3.862	100	3.737
00.03%		3.195	3.950	3.825	3.925	KAT:	3.800
39/16	3.070	3.259	4.014	3.889	3.989	Sqinin	3.864
000.0311/6	3.134	3.322	4.077	3.952	4.052	000	3.927
31/6			4:141	4.016	4.116	010	3.991
	000.0+ 3.261+0	3.371	4,251	4.126	4.226	000	4,101
313/16	0.0.0+ 3.24620	titler. The second seco	4,314	4.189	4.289	00	4.164
00.03%	3.309	3,434	4,378	4.253	4.353	100	4.228
100.04 315/m	3.373	3.498	4,378	4.316	4.416	nio!"	4.291
4	3.436	3.752	4,632	4.507	4.607	100	4.482
00.04%	3.690	3.815	4.695	4.570	4.670	110	4.545
00.041/4	3.817	3.942	4 000	4.697	4.797	Towns of	4.672
100.04%	3.880	4.005	4.822	4.760	4.860		4.735
200.0476	3.944	4.069	4,949	4.824	4.924	510	4.799
41/2	000 4.041	4.229	5.296	5.109	5.271	100	5.084
4½ 4½	00.0+4.169	4.356	5.424	5.236	5,399		5.211
41% 41%	4.109	4.422	5,487	5.300	5.462	110	5.275
000.05	4.296	4,483	5.551	5.363	5.526	100	5.338
	4.486	4.674	5.741	5.554	5.716	H. HAT	5.529
53 ₁₆	4.550	4.737	5,805	5.617	5.780	himbs	5.592
51/4	4.740	4,927	5.995	5.807	5.970		5.782
51/6	4.803	4.991	6.058	5.871	6.033	100	5.846
51/4	4.900	5.150	6.405	6.155	6,380	1000	6.130
519/16	5.091	5.341	6.596	6.346	6.571	100	6.321
6	5.155	5,405	6.660	6.410	6.635	DOSE	6.385
61/4	5.409	5.659	6.914	6.664	6.889	100	6.639
60	5.662	5,912	7.167	6.917	7.142	100	6.893
61/4	5.760	*5.885	7.515	7.390	7.490	1055	*7.365
7	6.014	46.139	7.769	7.644	7.744	100	*7.61
71/4	6.268	6.393	8.023	*7.898	7.998	196	*7.87
71/2	6.521	*6.646	8.276	*8.151	8.251	100	*8.12
734	6.619	6.869	8.624	8.374	8.599	100	8.34
8	6.873	7.123	8.878	8.628	8.853	100	8.60
9	7.887	8.137	11.004	9.642	9.867 11.071	1 5	9.61
10	8.591	8,966 9,981	11.096	10.721	12.086	1138	11.71
11	9.606	10.809	13.314	12.814	13.289	13	12.78
13	11.325	11.825	14.330	13.830	14.305	1	13.80
14	12.028	12.528	15.533	15.033	15.508	STOIST	15.00
15	13.043	13.543	16.548	16.048	16,523		16.02

*13/x 11/2 inch key.

All dimensions are given in inches. See Table 4 for tolerances.

Gage

No in



