

setup

```
[SETUP]
PLATFORM=x64
SETUP_CODE={C1406CEF-B6FE-4E84-AF37-6A520F95673D}
TITLE=AcSetupRes.dll; 2
LOG=%tmp%\Autodesk AutoCAD LT 2015 Setup.log
EVALMSI=SetupRes\eval.msi
PRIMARY_MSI=%platform%\acadlt\acadlt.msi
SYSUPDATE=MSI
RESOURCE_PATH=%lang%\SetupRes
INSTALL_PATH=%ProgramFiles%\Autodesk
CREATE_DESKTOP_SHORTCUT=YES
LPMODE=NO_ADD_LP
DEFAULTMEDIALANGUAGE=en-US

#===== Help Link =====
DOCUMENT_LINK=http://www.autodesk.com/installation-help-2015-%setupui lang%
DOCUMENT_FALLBACK_LINK=Docs\acadlt\install_help\index.html
SYSTEMREQUIRE_LINK=http://www.autodesk.com/autocadlt-win-sys-reqs-2015-%setupui lang%
SYSTEMREQUIRE_FALLBACK_LINK=Docs\acadlt_sysreq\index.html
SUPPORT_LINK=http://www.autodesk.com/autocadlt-win-readme-2015-%setupui lang%
SUPPORT_FALLBACK_LINK=Readme\readme.html

#===== Platform Requirement
=====
OSMAJVER=5
OSMINVER=1
SPMAJVER=2

#===== UI =====
TOP_BANNER=SetupRes\TopBanner.png
LOADING_IMAGE=SetupRes\AutoCAD_LT.png
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
LOGO=SetupRes\Adsk_whte.png
UI_MODE=

#===== Deployment Info =====
DEPLOYMENT_NAME=
CLIENT_LOGGING=YES
EXTRA_FILES=acadlt; *.exe: Setup: CER: eula: 3rdParty\msi: nlsdl: 3rdParty\NET: setupres
: %lang%

#===== Install Execute & UI Sequence
=====
EXE_SEQUENCE=ACADLT; CADM; SNAP; ADSYNC; ADAPPLICATI ONMANAGER
INSTALL_SEQUENCE=CADM; SNAP; ACADLT; ADSYNC; ADAPPLICATI ONMANAGER
UI_SEQUENCE=LaunchDlg; BeginDeploymentDlg; LicenseDlg; ProductInfoDlg; ProductSelect
ionDlg; ACADLT; CADM; SNAP; ADSYNC; ADAPPLICATI ONMANAGER; FullProgressDlg; InstallComp
leteDlg; DeploymentCompleteDlg; DeploymentFailedDlg

#===== AdLM ProdKey Info =====
ADLM_CONFIG_FILE=Setup\AutoCADLTConfig.pit
ADLM_PIT_DLL=Setup\adlmpit.dll
ADLM_VERSION=2015.0.0.F
ADLM_TRIAL_DAYS=30

#===== Custom Callback Function
=====
CB_FUNC=CustomPlatformCheck
CB_SOURCE=Setup\AcSetup.dll
CB_PARAM=5.2-x64; 5.1-x86; http://www.autodesk.com/autocadlt-win-sys-reqs-2015-
CB_DESCRIPTION=Custom callback function to check platform support.

#===== Global MSI Properties
=====
PATH_LENGTH=152
[GLOBAL_MSI_PROPERTIES]
```

```

                                setup
#===== ACADLT =====

[ACADLT]
PLATFORM=NATIVE
PRODUCT_NAME=Autodesk® AutoCAD LT® 2015
PREREQUISITE=ACADLT_VISTA_BLOCK; IE; SSE2; DOTNET45; DOTNET45LANG; VCREDIST2008SP1X86
; VCREDIST2008SP1X64; VCREDIST2010SP1X86; VCREDIST2010SP1X64; VCREDIST2012X86UPD4; VC
REDIST2012X64UPD4; DIRECTX; MSXML6; WMF95X64; CM; CMLB; SNAP_PRE
POSTREQUISITE=ACADLT_PSPACK
EXE_PATH=%platform%\acadlt\acadlt.msi
EXE_PARAM=
EXTRA_FILES=acadlt; acadlt*.ico
LOG=%tmp%\Autodesk AutoCAD LT 2015 Install.log
ROLLBACKABLE=YES
ADMININSTALL=YES
PRODUCT_MESSAGE=AcSetupRes.dll; 42
PRODUCT_INSTALLED_INFO_MSG=AcSetupRes.dll; 70
PRODUCT_INSTALLED_INFO_URL=AcSetupRes.dll; 73
DEPLOYMENTLANGUAGE=
EULA_PATH=eula
ACTION=INSTALL
REMOVE_PATH=
USE_EXTERNAL_UI=YES
EXTRA_FEATURES=Express_Tools
README_FILE=help\context\help\readme.htm; AcSetupRes.dll; 4
LAUNCH_EXE=acadlt.exe
UI_SEQUENCE=InstallTypePage; WorkstationSettingPage; ServicePackPageForDeploy; ServicePackPageForInstall; InfoCenterCommCenterPage; OnlineResourcesPage
MAINTENANCE_UI_SEQUENCE=OemPreinstallLicenseDlg; OemPreinstallProductInfoDlg; MaintenanceDlg; AddRemoveFeaturesDlg; RepairDlg; MaintVerifyReadyDlg; FullProgressDlg; MaintCompleteDlg; MaintFailedDlg
VC_FUNC=CheckHardwareRequirements
VC_SOURCE=Setup\AcSetup.dll
VC_PARAM=2; 4; 30; http://www.autodesk.com/certified-hardware
VC_DESCRIPTION=Check Hardware Requirements
SUMMARY_FUNC=LoadSummary_ACAD
SUMMARY_SOURCE=SetupAcadUi.dll
CanSpan=1
LPMODE=MUI
DEFAULTMEDIALANGUAGE=en-US
AVAILABLELANGUAGES=en-US

[ACADLT_en-US]
DISK_LABEL=acadlt2015
DISK_PROMPT=AcSetupRes.dll; 11

#===== ACAD LT Language Pack
=====
[ACADLT_LANGPACK]
PRODUCT_NAME=AutoCAD LT® 2015 Language Pack
EXE_PATH=%platform%\lang%\acadlt\AcadLTLP.msi
EXE64_PATH=%platform%\lang%\acadlt\AcadLTLP.msi
ADMININSTALL=YES
LOG=%tmp%\Autodesk AutoCAD LT 2015 LangPack Install.log

#===== ACAD LT Product Specific Pack
=====

[ACADLT_PSPACK]
PLATFORM=NATIVE
PRODUCT_NAME=AutoCAD LT® 2015 Product Specific Pack
EXE_PATH=%platform%\lang%\acadlt\AcadLTPS.msi
EXE_PARAM=INSTALLSHORTCUTS=0
LOG=%tmp%\Autodesk AutoCAD LT 2015 PSPack Install.log
ADMININSTALL=YES
LPMODE=MLD_ADR
DEFAULTMEDIALANGUAGE=en-US
AVAILABLELANGUAGES=en-US

```

setup

#===== Block Vista version Check
=====

```
[ACADLT_VISTA_BLOCK]
PRODUCT_NAME=Block Vista version Check
EXE_PATH=NULL
VC_FUNC=CheckForOSBlock
VC_SOURCE=Setup\AcSetup.dll
VC_PARAM=6.0-x64; 6.0-x86; http://www.autodesk.com/autocadlt-win-sys-reqs-2015-%se
tupuilang%
VC_DESCRIPTION=Block Vista version Check
```

#===== Common Autodesk Components
=====

```
[CADM]
PLATFORM=NATIVE
PRODUCT_NAME=Autodesk CAD Manager Tools
PREREQUISITE=SSE2; VCREDIT2012X86UPD4; VCREDIT2012X64UPD4
EXE_PATH=%platform%\lang%\Tools\CADManager\CADManager.msi
LOG=%tmp%\CADManager Install.log
PRODUCT_MESSAGE=AcSetupRes.dll; 46
IGNORE_FAILURE=YES
ALLOW_ADD_REMOVE=NO
ACTION=INSTALL
INSTALL_TYPE=4
LPMODE=MLD_ADR
DEFAULTMEDIALANGUAGE=en-US
AVAILABLELANGUAGES=en-US
```

#===== Content Service =====

```
[SNAP]
PRODUCT_NAME=Autodesk Content Service
PREREQUISITE=DOTNET45; VCREDIT2008SP1X86; VCREDIT2010SP1X86; VCREDIT2012X86UPD4
EXE_PATH=%platform%\Tools\snap\ContentService.msi
EXE_PARAM=INSTALLMODE=PUBLIC AUTOSTART=1
LOG=%tmp%\Autodesk Content Service.log
PRODUCT_MESSAGE=ContentServiceRes.dll; 417
IGNORE_FAILURE=YES
DISK_PROMPT=AcSetupRes.dll; 11
DISK_LABEL=acadt2015
DISK_COST=37000000
INSTALL_TYPE=4
UI_SEQUENCE=Snap_InstallModePage
VC_FUNC=ACSCheck_StandAlone
VC_SOURCE=Setup\ContentServiceUI.dll
LPMODE=MLD_INV
DEFAULTMEDIALANGUAGE=en-US
AVAILABLELANGUAGES=en-US
```

```
[SNAP_en-US]
DISK_LABEL=acadt2015
DISK_PROMPT=AcSetupRes.dll; 11
```

#===== ContentService Language Pack Postrequisite
=====

```
[SNAP_LANGPACK]
PRODUCT_NAME=Autodesk Content Service Language Pack
EXE_PATH=%platform%\lang%\Tools\snap\ContentServiceLP.msi
```

```
[SNAP_PRE]
PRODUCT_NAME=Autodesk Content Service
PREREQUISITE=DOTNET45; VCREDIT2008SP1X86; VCREDIT2010SP1X86
EXE_PATH=%platform%\Tools\snap\ContentService.msi
EXE_PARAM=INSTALLMODE=PRIVATE AUTOSTART=0
LOG=%tmp%\Autodesk Content Service.log
```

setup

IGNORE_FAILURE=YES
ACTION=INSTALL
DISK_PROMPT=AcSetupRes.dll; 11
DISK_LABEL=acad1t2015
DISKCOST=37000000
VC_FUNC=ACSCheck_Inline
VC_SOURCE=Setup\ContentServiceUI.dll
LPMODE=MLD_INV
DEFAULTMEDIALANGUAGE=en-US
AVAILABLELANGUAGES=en-US

[SNAP_PRE_en-US]
DISK_LABEL=acad1t2015
DISK_PROMPT=AcSetupRes.dll; 11

#===== ContentService Language Pack Postrequisite
=====

[SNAP_PRE_LANGPACK]
PRODUCT_NAME=Autodesk Content Service Language Pack
EXE_PATH=%platform%\lang%\Tools\snap\ContentServiceLP.msi

#===== Common Autodesk Content
=====

[CM]
PLATFORM=ALL
PRODUCT_NAME=Autodesk Material Library 2015
EXE_PATH=Content\ADSKMaterial\2015\CM\MaterialLibrary2015.msi
EXTRA_FILES=acad; Content\ADSKMaterial\2015\CM*.cab
LOG=%tmp%\MaterialLibrary2015CM.log
ADMIN_INSTALL=NO
ACTION=INSTALL
DISKCOST=88000000

[CMLB]
PLATFORM=ALL
PRODUCT_NAME=Autodesk Material Library 2015 - Base Image Library
EXE_PATH=Content\ADSKMaterial\2015\ILB\BaseImageLibrary2015.msi
EXTRA_FILES=acad; Content\ADSKMaterial\2015\ILB*.cab
LOG=%tmp%\MaterialLibrary2015CMLB.log
ADMIN_INSTALL=NO
ACTION=INSTALL
DISKCOST=81000000

#===== Autodesk 360 =====

[ADSYNC]
PLATFORM=NATIVE
PRODUCT_NAME=Autodesk® 360
EXE_PATH=%platform%\Components\Cloudsync\AdSync.msi
EXE_PARAM=ADLANGUAGE=%selectedlang%
LOG=%tmp%\Cloudsyncinstall.log
ROLLBACKABLE=NO
ADMIN_INSTALL=YES
PRODUCT_MESSAGE=A360SetupUiRes.dll; 300
IGNORE_FAILURE=YES
SHARED_COMPONENT=YES
ACTION=INSTALL
UI_SEQUENCE=A360CustomConfigPage

#===== Autodesk Application Manager
=====

[ADAPPLICATIONMANAGER]
PLATFORM=NATIVE
PRODUCT_NAME=Autodesk Application Manager
EXE_PATH=x86\ADAPPLICATIONMANAGER\AdApplicationManager-WebInstaller.exe
EXE_PARAM=

setup

IGNORE_FAILURE=YES
ACTION=INSTALL
DISK COST=80000000
UI_SEQUENCE=AdAppManPage
VC_FUNC=AdAppManCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=1.0.51.0
HIDDEN_COMPONENT=YES

#===== 3rd Party Components
=====

[IE]
PRODUCT_NAME=Internet Explorer
EXE_PATH=NULL
PRODUCT_MESSAGE=SetupRes.dll; 209
ACTION=INSTALL
VC_FUNC=IeVerCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=7.0.5730; 7.0; 1
VC_DESCRIPTION=Detecting Internet Explorer

[MSI]
PLATFORM=ALL
PRODUCT_NAME=Windows Installer Redistributable
EXE_PATH=3rdParty\msi
EXE_PARAM=/quiet /norestart
VC_FUNC=MsiVerCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=4.0
VC_DESCRIPTION=Detecting MSI

[NLSDL]
PLATFORM=NATIVE
PRODUCT_NAME=Microsoft NLS Downlevel APIs
EXE_PATH=NLSDL\nlsdl.x86.exe
EXE64_PATH=NLSDL\nlsdl.amd64.exe
EXE_PARAM=/quiet /norestart
IGNORE_FAILURE=YES

[MSXML6]
PLATFORM=NATIVE
PRODUCT_NAME=MSXML 6
EXE_PATH=3rdParty\x86\msxml6\msxml6.msi
EXE64_PATH=3rdParty\x64\msxml6\msxml6_x64.msi
IGNORE_FAILURE=YES
VC_FUNC=MxmlVerCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=6.0

#===== VCREDIT Begin =====

[VCREDIT2012X86UPD4]
PLATFORM=ALL
PRODUCT_NAME=Microsoft Visual C++ 2012 Redistributable (x86) Update 4
EXE_PATH=3rdParty\x86\VCRedist\2012UPD4\vcRedist_x86.exe
EXE_PARAM=/install /quiet /norestart /log %temp%\vcRedist_x86_2012_UPD4.log
IGNORE_FAILURE=YES
IGNORE_ERROR=5100

[VCREDIT2012X64UPD4]
PLATFORM=x64
PRODUCT_NAME=Microsoft Visual C++ 2012 Redistributable (x64) Update 4
EXE64_PATH=3rdParty\x64\VCRedist\2012UPD4\vcRedist_x64.exe
EXE_PARAM=/install /quiet /norestart /log %temp%\vcRedist_x64_2012_UPD4.log
IGNORE_FAILURE=YES
IGNORE_ERROR=5100

setup
#===== VCREDIT Begin =====

[VCREDIT2010SP1X86]
PLATFORM=ALL
PRODUCT_NAME=Microsoft Visual C++ 2010 SP1 Redistributable (x86)
EXE_PATH=3rdParty\x86\VCRedist\2010SP1\vcRedist_x86.exe
EXE_PARAM=/q /norestart /I %temp%\vcRedist_x86_2010.log
IGNORE_ERROR=5100
VC_FUNC=VCx86RedistCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM={FOC3E5D1-1ADE-321E-8167-68EFODE699A5}

[VCREDIT2010SP1X64]
PLATFORM=x64
PRODUCT_NAME=Microsoft Visual C++ 2010 SP1 Redistributable (x64)
EXE64_PATH=3rdParty\x64\VCRedist\2010SP1\vcRedist_x64.exe
EXE_PARAM=/q /norestart /I %temp%\vcRedist_x64_2010.log
IGNORE_ERROR=5100
VC_FUNC=VCx64RedistCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM={1D8E6291-B0D5-35EC-8441-6616F567A0F7}

[VCREDIT2008SP1X86]
PLATFORM=ALL
PRODUCT_NAME=Microsoft Visual C++ 2008 SP1 Redistributable (x86)
EXE_PATH=3rdParty\x86\VCRedist\2008SP1\vcRedist_x86.exe
EXE_PARAM=/q
ROLLBACKABLE=NO
IGNORE_ERROR=YES
VC_FUNC=VCx86RedistCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM={1F1C2DFC-2D24-3E06-BCB8-725134ADF989}

[VCREDIT2008SP1X64]
PLATFORM=x64
PRODUCT_NAME=Microsoft Visual C++ 2008 SP1 Redistributable (x64)
EXE64_PATH=3rdParty\x64\VCRedist\2008SP1\vcRedist_x64.exe
EXE_PARAM=/q
ROLLBACKABLE=NO
IGNORE_ERROR=YES
VC_FUNC=VCx64RedistCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM={4B6C7001-C7D6-3710-913E-5BC23FCE91E6}

#===== VCREDIT End =====

[SSE2]
PRODUCT_NAME=SSE2 Support Check
EXE_PATH=NULL
PRODUCT_MESSAGE=SSE2 Support Check
VC_FUNC=CheckForSSE2Support
VC_SOURCE=Setup\AcSetup.dll
VC_DESCRIPTION=SSE2 Support Check

[DOTNET4]
PLATFORM=ALL
PRODUCT_NAME=.NET Framework Runtime 4.0
EXE_PATH=3rdParty\NET\4\wcu\dotNetFramework\dotNetFx40_Full_x86_x64.exe
EXE_PARAM=/q
DISK_COST=352037424
VC_FUNC=DotnetVerify
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=.NET Framework 4 Full
VC_DESCRIPTION=Detecting .NET 4.0 Runtime

[DOTNET45]
PLATFORM=ALL
PRODUCT_NAME=.NET Framework Runtime 4.5

```

                                setup
EXE_PATH=3rdParty\NET\45\wcu\dotNetFramework\dotNetFx45_Full_x86_x64.exe
EXE_PARAM=/q /norestart
IGNORE_FAILURE=YES
DISK COST=388037424
VC_FUNC=DotnetVerify
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=.NET Framework 4.5 Full
VC_DESCRIPTION=Detecting .NET 4.5 Runtime

[DOTNET45LANG]
PRODUCT_NAME=.NET Framework Runtime 4.5 Language Pack
EXE_PATH=3rdParty\NET\45\wcu\dotNetFramework\dotNetFx45LP_Full_x86_x64_%id%.exe
EXE_PARAM=/q /norestart
EXE_LANGS=1025; 1028; 1029; 1030; 1031; 1032; 1034; 1035; 1036; 1037; 1038; 1040; 1041; 1042;
1044; 1045; 1046; 1049; 1053; 1055; 2052; 2070; 3082
IGNORE_FAILURE=YES
DISK COST=3000000
VC_FUNC=DotnetLangPacksVerCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=%id%; 4.5.50709
VC_DESCRIPTION=Detecting .NET 4.5 Runtime
IGNORE_LANGS=1033
LP_MODE=MLD_ADR

```

#===== DOTNET Ends =====

```

[DIRECTX]
PLATFORM=ALL
PRODUCT_NAME=DirectX Runtime
EXE_PATH=3rdParty\DirectX\DXSETUP.exe
EXE_PARAM=/silent
IGNORE_FAILURE=YES
DISK COST=50000000

```

```

[WMF95X64]
PLATFORM=x64
PRODUCT_NAME=Microsoft Windows Media Format 9.5 Series Runtime
EXE64_PATH=3rdParty\x64\wmf\95\wmfdist64.exe
EXE_PARAM=/quiet
ROLLBACKABLE=NO
IGNORE_FAILURE=YES
ACTION=INSTALL
VC_FUNC=WMFCheck
VC_SOURCE=Setup\SetupUi.dll
VC_PARAM=9.5

```

#===== Common Main Pages: Install Mode =====

```

[LaunchDlg]
UI_CREATOR=LaunchDialog
UI_SOURCE=Setup\SetupAcadUi.dll
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png

```

```

[LicenceDlg]
UI_CREATOR=LicenceDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=NOT_ADSK_OEMPREINSTALL

```

```

[ProductSelectionDlg2]
UI_CREATOR=ProductSelectionDialog2
UI_SOURCE=Setup\SetupAcadUi.dll
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
UI_POSTCONSTRUCT=SetInstallPathEditorStatus
UI_POSTCONSTRUCT_SOURCE=Setup\AcSetup.dll

```

```

[ProductInfoDlg]

```

setup

```
UI_CREATOR=ProductInfoDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE<>"TOOLS"
```

```
[FullProgressDialog]
UI_CREATOR=FullProgressDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_INFOTAILMENT_PATH=SetupRes\Infotailment\Images
UI_INFOTAILMENT_ELAPSE=18000
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
```

```
[InstallationCompleteDialog]
UI_CREATOR=InstallationCompleteDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE<>"DEPLOYMENT" AND
ADSK_LAUNCH_MODE<>"MINIMAL_DEPLOYMENT"
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
```

```
#===== Common Main Pages: Deploy Mode
=====
```

```
[BeginDeploymentDialog]
UI_CREATOR=BeginDeploymentDialog
UI_SOURCE=Setup\DeployUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT"
```

```
#===== Common Main Pages: Deploy Mode
=====
```

```
[DeploymentCompleteDialog]
UI_CREATOR=DeploymentCompleteDialog
UI_SOURCE=Setup\DeployUi.dll
UI_CONDITION=(ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT") AND ADSK_SETUP_SUCCEEDED
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
```

```
[DeploymentFailedDialog]
UI_CREATOR=DeploymentFailedDialog
UI_SOURCE=Setup\DeployUi.dll
UI_CONDITION=(ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT") AND NOT ADSK_SETUP_SUCCEEDED
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
```

```
#===== Common Config pages: Install Mode
=====
```

```
[InstallationTypePage]
UI_CREATOR=InstallationTypePage
UI_SOURCE=Setup\SetupAcadUi.dll
```

```
[SnapInstallationModePage]
UI_CREATOR=InstallationModePage
UI_SOURCE=Setup\ContentServiceUI.dll
```

```
[WorkstationSettingPage]
UI_CREATOR=WorkstationSettingPage
UI_SOURCE=Setup\DeployUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT"
```

```
[ServicePackPageForDeploy]
UI_CREATOR=ServicePackPage
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT"
```

```
[ServicePackPageForInstall]
```


setup

```
UI_CREATOR=ServicePackPage
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=ADSK_RUNNING_FROM_ADMIN="FALSE" AND NOT
ADSK_LAUNCH_MODE="DEPLOYMENT" AND NOT ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT"
```

```
[InfoCenterCommCenterPage]
UI_CREATOR=InfoCenterCommCenterPage
UI_SOURCE=Setup\DeployUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT"
```

```
[OnlineResourcesPage]
UI_CREATOR=OnlineResourcesPage
UI_SOURCE=Setup\DeployUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT"
```

```
[AdAppManPage]
UI_CREATOR=AdAppManPage
UI_SOURCE=Setup\DeployUi.dll
UI_CONDITION=ADSK_LAUNCH_MODE="DEPLOYMENT" OR
ADSK_LAUNCH_MODE="MINIMAL_DEPLOYMENT"
```

```
[A360CustomConfigPage]
UI_CREATOR=CustomConfigPage
UI_SOURCE=Setup\A360SetupUi.dll
```

```
#===== Common Main Pages: Maintenance Mode
=====
```

```
[OemPreinstallLicenseDlg]
UI_CREATOR=LicenseDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=ADSK_OEMPREINSTALL="1"
```

```
[OemPreinstallProductInfoDlg]
UI_CREATOR=ProductInfoDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=ADSK_OEMPREINSTALL="1"
```

```
[MaintenanceDlg]
UI_CREATOR=MaintenanceDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=NOT ADSK_OEMPREINSTALL
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
```

```
[AddRemoveFeaturesDlg]
UI_CREATOR=AddRemoveFeaturesDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=NOT ADSK_OEMPREINSTALL AND NOT REINSTALL="ALL" AND NOT REMOVE="ALL"
```

```
[RepairDlg]
UI_CREATOR=RepairDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=NOT ADSK_OEMPREINSTALL AND REINSTALL="ALL"
```

```
[MaintVerifyReadyDlg]
UI_CREATOR=MaintVerifyReadyDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=NOT ADSK_OEMPREINSTALL
```

```
[MaintCompletedDlg]
UI_CREATOR=MaintCompletedDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=NOT ADSK_OEMPREINSTALL AND ADSK_SETUP_SUCCEEDED
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png
```

```
[MaintFailedDlg]
```

setup

UI_CREATOR=MaintFailedDialog
UI_SOURCE=Setup\SetupAcadUi.dll
UI_CONDITION=NOT ADSK_OEMPREINSTALL AND NOT ADSK_SETUP_SUCCEEDED
BACKGROUND_IMAGE=SetupRes\AutoCAD_LT.png