

18:17:13 | CBandToolBarCtrl::DownloadFiles - Lock ||

18:17:13 | CColInitializer::CColInitializer() - calling ColInitialize(NULL) ||

18:17:14 | CScriptHelperWrapper::CScriptHelperWrapper - folder: AVG SafeGuard toolbar ||

18:17:14 | CDriver::OpenDriverHandle, device: 212 ||

18:17:14 | CDriver::CloseDriverHandle, device: 212 ||

18:17:14 | CDriver::CloseDriverHandle, valid handle ||

18:17:14 | CDriverHelper::WaitTillDriverIsRunning rc = : 1 ||

18:17:14 | CDriverHelper::WaitTillDriverIsRunning rc = : 1 ||

18:17:14 | CDriver::OpenDriverHandle, device: 212 ||

18:17:14 | CDriver::CloseDriverHandle, device: 212 ||

18:17:14 | CDriver::CloseDriverHandle, valid handle ||

18:17:14 | ??????????????????: Ioctl = AA3F280B, ret = 1. GLE = 183 ||

18:17:14 | CSystemCommands::GetCommonFilePath - ProductName: vToolbarUpdater ||

18:17:14 | CSystemCommands::GetCommonFilePath - ProductVersion: ||

18:17:14 | CProductManager: Created ||

18:17:14 | CRegistry::Init - folder is empty. failed to init. ||

18:17:14 | CRegistry::GetCommonName(): AVG Secure Search ||

18:17:14 | CINIReader::Init - path: C:\Program Files (x86)\Common Files\AVG Secure Search\InstalledProducts.ini ||

18:17:14 | CINIReader::Init - init: 1 ||

18:17:14 | CINIReader::GetText - start ||

18:17:14 | CINIReader::GetText - sSection: InstalledProducts ||

18:17:14 | CINIReader::GetText - sParamName: vToolbarUpdater ||

18:17:14 | CINIReader::GetText - result: 18.1.9 ||

18:17:14 | CSystemCommands::GetCommonFilePath - CommonFilePath: C:\Program Files (x86)\Common Files\AVG Secure Search\vToolbarUpdater\18.1.9\ ||

18:17:14 | CSystemCommands::GetCommonFilePath - ProductName: vToolbarUpdater ||

18:17:14 | CSystemCommands::GetCommonFilePath - ProductVersion: ||

18:17:14 | CRegistry::Init - folder is empty. failed to init. ||

18:17:14 | CRegistry::GetCommonName(): AVG Secure Search ||

18:17:14 | CINIReader::Init - path: C:\Program Files (x86)\Common Files\AVG Secure Search\InstalledProducts.ini ||

18:17:14 | CINIReader::Init - init: 1 ||

18:17:14 | CINIReader::GetText - start ||

18:17:14 | CINIReader::GetText - sSection: InstalledProducts ||

18:17:14 | CINIReader::GetText - sParamName: vToolbarUpdater ||

18:17:14 | CINIReader::GetText - result: 18.1.9 ||

18:17:14 | CSystemCommands::GetCommonFilePath - CommonFilePath: C:\Program Files (x86)\Common Files\AVG Secure Search\vToolbarUpdater\18.1.9\ ||

18:17:14 | CSystemCommands::GetCommonFilePath - ProductName: vToolbarUpdater ||

18:17:14 | CSystemCommands::GetCommonFilePath - ProductVersion: ||

18:17:14 | CRegistry::Init - folder is empty. failed to init. ||

18:17:14 | CRegistry::GetCommonName(): AVG Secure Search ||

18:17:14 | CINIReader::Init - path: C:\Program Files (x86)\Common Files\AVG Secure Search\InstalledProducts.ini ||

18:17:14 | CINIReader::Init - init: 1 ||

18:17:14 | CINIReader::GetText - start ||

18:17:14 | CINIReader::GetText - sSection: InstalledProducts ||

18:17:14 | CINIReader::GetText - sParamName: vToolbarUpdater ||

18:17:14 | CINIReader::GetText - result: 18.1.9 ||

18:17:14 | CSystemCommands::GetCommonFilePath - CommonFilePath: C:\Program Files (x86)\Common Files\AVG Secure Search\vToolbarUpdater\18.1.9\ ||

18:17:14 | CScriptHelperWrapper::CScriptHelperWrapper - CoCreateInstance: 0 ||

18:17:14 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CScriptHelperWrapper::CScriptHelperWrapper - SelectToolbar: 0 ||

18:17:15 | CCoInitializer::~CCoInitializer() - calling CoUninitialize() ||

18:17:15 | CScriptHelperWrapper::CScriptHelperWrapper - folder: AVG SafeGuard toolbar ||

18:17:15 | CScriptHelperWrapper::CScriptHelperWrapper - CoCreateInstance: 0 ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CScriptHelperWrapper::CScriptHelperWrapper - SelectToolbar: 0 ||

18:17:15 | CCoInitializer::~CCoInitializer() - calling CoInitialize(NULL) ||

18:17:15 | CSystemCommands::GetConfigurationValue sConfigurationFilename: C:\Program Files (x86)\AVG SafeGuard toolbar\configuration.xml ||

18:17:15 | CSystemCommands::GetConfigurationValue sTagName: General/Product/TypeName ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CSystemCommands::GetXmlNodeValue - Unable to locate 'xmlnode' XML node ||

18:17:15 | CSystemCommands::GetConfigurationValue sConfigurationFilename: C:\Program Files (x86)\AVG SafeGuard toolbar\configuration.xml ||

18:17:15 | CSystemCommands::GetConfigurationValue sTagName: General/Product/RegType ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CSystemCommands::GetXmlNodeValue - Unable to locate 'xmlnode' XML node ||

18:17:15 | CSystemCommands::GetConfigurationValue sConfigurationFilename: C:\Program Files (x86)\AVG SafeGuard toolbar\configuration.xml ||

18:17:15 | CSystemCommands::GetConfigurationValue sTagName: General/Product/FileName ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CSystemCommands::GetXmlNodeValue - Unable to locate 'xmlnode' XML node ||

18:17:15 | CSystemCommands::GetConfigurationValue sConfigurationFilename: C:\Program Files (x86)\AVG SafeGuard toolbar\configuration.xml ||

18:17:15 | CSystemCommands::GetConfigurationValue sTagName: General/Product/Type ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CSystemCommands::GetXmlNodeValue - Unable to locate 'xmlnode' XML node ||

18:17:15 | CSystemCommands::GetConfigurationValue sConfigurationFilename: C:\Program Files (x86)\AVG SafeGuard toolbar\configuration.xml ||

18:17:15 | CSystemCommands::GetConfigurationValue sTagName: General/Product/BlockingInstalledProductTypes ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CSystemCommands::GetXmlNodeValue - Unable to locate 'xmlnode' XML node ||

18:17:15 | CCoInitializer::~~CCoInitializer() - calling CoUninitialize() ||

18:17:15 | CProductManager: Created ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:15 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:15 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:15 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:15 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:15 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:15 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:15 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:15 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:15 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:15 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:15 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:15 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:15 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:15 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:16 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:16 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:16 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:16 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:16 | CSystemCommands::GetSafeEnv, returns : C:\Users\House Computer\AppData\Roaming ||

18:17:16 | CSystemCommands::GetUserID, returns : 19355017207497b4 ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:16 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:16 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:16 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:16 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:16 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:16 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CBandToolBarCtrl::DownloadImages start ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:16 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:16 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:16 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:16 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:16 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:16 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:17 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:17 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:17 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:17 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:17 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:17 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:17 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:17 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:17 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:17 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:17 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar\Initialize\CONFIGXML ||

18:17:17 | CSystemCommands::GetUserID, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, (zstring) - start ||

18:17:17 | CSystemCommands::GetSafeEnv - (bool) - start ||

18:17:17 | CSystemCommands::GetSafeEnv, varName: appdata ||

18:17:17 | CSystemCommands::GetSafeEnv, returns: : C:\Users\House Computer\AppData\Roaming ||

18:17:17 | CSystemCommands::GetUserID, returns: : 19355017207497b4 ||

18:17:17 | CRegistry::getValue(...), for key: CurCmpld ||

18:17:17 | CRegistry::getValue(...), QueryStringValue error: 2 ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG Security Toolbar ||

18:17:17 | CRegistry::GetPartnerName(): AVG SafeGuard toolbar ||

18:17:17 | CRegistry::Init - created path: SOFTWARE\AVG SafeGuard toolbar ||

18:17:17 | CBandToolBarCtrl::DownloadFiles - Unlock ||