

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: IsPureAcadProfile
Type: REG_DWORD
Data: 0
Value 1
Name: BaseData
Type: REG_SZ
Data: AutoCAD;BSDCommon;ADTCommon;BSD_Imperial_Base
Value 2
Name: <NO NAME>
Type: REG_SZ
Data: AutoCAD Architecture 2015 - English
Value 3
Name: ProfileAKA
Type: REG_SZ
Data: Architectural Desktop - Imperial
Value 4
Name: RevertProfile
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\AcSeek
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: Server
Type: REG_SZ
Data: acadseekstore.autodesk.com:80

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Application Menu
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Application Menu\AcPublish
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: Image
Type: REG_SZ
Data: res:///acadbtn.xmx/\$10/\$RCDATA_32_PUBLISHAIRDATA
Value 1
Name: Description
Type: REG_SZ
Data: Share the drawing with a service
Value 2
Name: Text
Type: REG_SZ
Data: Publish

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Application Menu\AcPublish\SeekMenu
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: <NO NAME>
Type: REG_SZ
Data:

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecArchBase70
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: ACADBoundSpacesEnabled
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecBase70
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecBase70\DwgSetup
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecBase70\DwgSetup\Imperial
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: LayerFile
Type: REG_SZ
Data: AecLayerStd.dwg

Value 1

Name: LayerStandard
Type: REG_SZ
Data: AEC Title Case - NCS 256 Color

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecBase70\DwgSetup\Metric
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: LayerFile
Type: REG_SZ
Data: AecLayerStd.dwg

Value 1

Name: LayerStandard
Type: REG_SZ
Data: AIA (256 Color)

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecRcpBase70
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecRcpBase70\Databases
Class Name: <NO CLASS>

Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecRcpBase70\Databases\Components
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: Current
Type: REG_SZ
Data: {F14FC23F-E0E6-4683-925F-58BF6A9F92E5}

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Defaults\AecRcpBase70\Databases\Keynotes
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: Current
Type: REG_SZ
Data: {EA1EA073-BE93-4A38-91B5-76A10EE13640}

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\3dDwf
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: DefaultDwfFormat
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AcInfoService
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AcInfoService\SOLIDS
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: Enabled
Type: REG_DWORD
Data: 0

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AcPublishDlg
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: DefaultDwfFormat
Type: REG_DWORD
Data: 0x1

Value 1
Name: PublishToFormat
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-DoorAdd

Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-DoorAdd\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: Height
Type: REG_SZ
Data: 2260

Value 1

Name: InsertHt
Type: REG_SZ
Data: 0

Value 2

Name: InsertMode
Type: REG_DWORD
Data: 0x1

Value 3

Name: isSillHt
Type: REG_DWORD
Data: 0x1

Value 4

Name: Leaf
Type: REG_SZ
Data: 300

Value 5

Name: Offset
Type: REG_SZ
Data: 125

Value 6

Name: OpenPct
Type: REG_DWORD
Data: 0x32

Value 7

Name: Rise
Type: REG_SZ
Data: 250

Value 8

Name: StyleName
Type: REG_SZ
Data: Standard

Value 9

Name: Width
Type: REG_SZ
Data: 1010

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-OpeningAdd
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-OpeningAdd\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: isSillHt

Type: REG_DWORD
Data: 0x1

Value 1
Name: ShapeType
Type: REG_DWORD
Data: 0

Value 2
Name: InsertMode
Type: REG_DWORD
Data: 0x1

Value 3
Name: InsertHt
Type: REG_SZ
Data: 1000

Value 4
Name: Height
Type: REG_SZ
Data: 1010

Value 5
Name: Offset
Type: REG_SZ
Data: 125

Value 6
Name: Width
Type: REG_SZ
Data: 1010

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-SlabAdd
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-SlabAdd\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: Thickness
Type: REG_SZ
Data: 120

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-StairCreate
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-StairCreate\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: CalculationFlags
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-WallAdd
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-WallAdd\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: CleanupGroupName
Type: REG_SZ
Data: Standard

Value 1

Name: Height
Type: REG_SZ
Data: 2750

Value 2

Name: JustifyType
Type: REG_DWORD
Data: 0x2

Value 3

Name: Offset
Type: REG_SZ
Data: 0

Value 4

Name: StyleName
Type: REG_SZ
Data: Standard

Value 5

Name: Width
Type: REG_SZ
Data: 240

Value 6

Name: UseStyleDefaults
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-WindowAdd
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-WindowAdd\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0

Name: Height
Type: REG_SZ
Data: 1260

Value 1

Name: InsertHt
Type: REG_SZ
Data: 1000

Value 2

Name: InsertMode
Type: REG_SZ
Data: 1

Value 3

Name: isSillHt
Type: REG_DWORD
Data: 0x1

Value 4
Name: Leaf
Type: REG_SZ
Data: 300

Value 5
Name: Offset
Type: REG_SZ
Data: 125

Value 6
Name: Rise
Type: REG_SZ
Data: 300

Value 7
Name: Standard
Type: REG_SZ
Data: Standard

Value 8
Name: Width
Type: REG_SZ
Data: 1010

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-WindowAssemblyAdd
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecArchX-WindowAssemblyAdd\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: Height
Type: REG_SZ
Data: 1260

Value 1
Name: InsertHt
Type: REG_SZ
Data: 1000

Value 2
Name: InsertMode
Type: REG_DWORD
Data: 0x1

Value 3
Name: isSillHt
Type: REG_DWORD
Data: 0x1

Value 4
Name: Offset
Type: REG_SZ
Data: 125

Value 5
Name: Rise
Type: REG_SZ
Data: 300

Value 6
Name: Width
Type: REG_SZ
Data: 3010

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecAreaCalculation-Common Template
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: Excel
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Evaluation Templates\Area Evaluation
Template (1) - Landscape.xlt

Value 1
Name: Text
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Evaluation Templates\Area Evaluation
Template.txt

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AecPublish70-ImportLandXmlDefaults
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: COGOLayerKey
Type: REG_SZ
Data: COGO

Value 1
Name: ContourLayerKey
Type: REG_SZ
Data: TOPO

Value 2
Name: ParcelLayerKey
Type: REG_SZ
Data: PRCL

Value 3
Name: SurfaceLayerKey
Type: REG_SZ
Data: TINN

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\AllAnavDialogs
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: PlacesOrder0Display
Type: REG_SZ
Data: Content

Value 1
Name: PlacesOrder0Ext
Type: REG_SZ
Data:

Value 2
Name: PlacesOrder1
Type: REG_SZ
Data: Autodesk 360

Value 3
Name: PlacesOrder1Display
Type: REG_SZ
Data: Autodesk 360

Value 4

Name: PlacesOrder1Ext
Type: REG_SZ
Data:

Value 5
Name: PlacesOrder2
Type: REG_SZ
Data: History

Value 6
Name: PlacesOrder2Display
Type: REG_SZ
Data: History

Value 7
Name: PlacesOrder2Ext
Type: REG_SZ
Data:

Value 8
Name: PlacesOrder3
Type: REG_SZ
Data: Personal

Value 9
Name: PlacesOrder3Display
Type: REG_SZ
Data: My Documents

Value 10
Name: PlacesOrder3Ext
Type: REG_SZ
Data:

Value 11
Name: PlacesOrder4
Type: REG_SZ
Data: Favorites

Value 12
Name: PlacesOrder4Display
Type: REG_SZ
Data: Favorites

Value 13
Name: PlacesOrder4Ext
Type: REG_SZ
Data:

Value 14
Name: PlacesOrder5
Type: REG_SZ
Data: FTPSites

Value 15
Name: PlacesOrder5Display
Type: REG_SZ
Data: FTP

Value 16
Name: PlacesOrder5Ext
Type: REG_SZ
Data:

Value 17
Name: PlacesOrder6
Type: REG_SZ
Data: Desktop

Value 18
Name: PlacesOrder6Display
Type: REG_SZ
Data: Desktop

Value 19
Name: PlacesOrder6Ext
Type: REG_SZ
Data:

Value 20
Name: PlacesOrder7
Type: REG_SZ
Data: ACPROJECT

Value 21
Name: PlacesOrder7Display
Type: REG_SZ
Data: Buzzsaw

Value 22
Name: PlacesOrder7Ext
Type: REG_SZ
Data:

Value 23
Name: PlacesOrder0
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\Export Data
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: InitialFilterIndex
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\LayerManager
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: DisplayFiltersInLayerList
Type: REG_SZ
Data: True

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\OptionsDialog
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Dialogs\OptionsDialog\TabExtensions
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: AecUtilities.arx
Type: REG_SZ
Data: AecUtilities.arx

Value 1
Name: AecDCArch.arx
Type: REG_SZ
Data: AecDCArch.arx

Value 2
Name: AecArchX.arx
Type: REG_SZ
Data: AecArchX.arx

Value 3
Name: AecProject.arx
Type: REG_SZ
Data: AecProject.arx

Value 4
Name: AecRcpBase.arx
Type: REG_SZ
Data: AecRcpBase.arx

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Drawing Window
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: XDWGFADECTL
Type: REG_DWORD
Data: 0

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Editor Configuration
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: EmergencyFont
Type: REG_SZ
Data: simplex.shx

Value 1
Name: XrefLoadPath
Type: REG_SZ
Data: C:\Users\Paul\AppData\Local\Temp\

Value 2
Name: SaveFilePath
Type: REG_SZ
Data: C:\Users\Paul\AppData\Local\Temp\

Value 3
Name: AnnoAutoScale
Type: REG_DWORD
Data: 0x1

Value 4
Name: AutomaticSaveMinutes
Type: REG_DWORD
Data: 0x1e

Value 5
Name: XrefLazyLoadMode
Type: REG_DWORD
Data: 0x2

Value 6
Name: SaveFidelity
Type: REG_DWORD
Data: 0

Value 7
Name: MTEXTTOOLBAR
Type: REG_DWORD

Data: 0x1

Value 8
 Name: CustomDictionary
 Type: REG_SZ
 Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\support\sample.cus

Value 9
 Name: FontMappingFile
 Type: REG_SZ
 Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\support\acad.fmp

Value 10
 Name: LogFilePath
 Type: REG_SZ
 Data: C:\Users\Paul\AppData\Local\Autodesk\ACA 2015\enu\

Value 11
 Name: ACADLspAsDoc
 Type: REG_DWORD
 Data: 0

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
 Architecture (US Imperial) <default>\General
 Class Name: <NO CLASS>
 Last Write Time: 8/20/2016 - 1:04 PM

Value 0
 Name: PrinterConfigDir
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Plotters

Value 1
 Name: PrinterDescDir
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Plotters\PMP Files

Value 2
 Name: PrinterStyleSheetDir
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Plotters\Plot Styles\

Value 3
 Name: QnewTemplate
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Model (Imperial Stb).dwt

Value 4
 Name: ACAD
 Type: REG_SZ
 Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\Support;C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\Support\pats;C:\Program Files\Autodesk\AutoCAD 2015\Support;C:\Program Files\Autodesk\AutoCAD 2015\support\en-US;C:\Program Files\Autodesk\AutoCAD 2015\Fonts;C:\Program Files\Autodesk\AutoCAD 2015\Help;C:\Program Files\Autodesk\AutoCAD 2015\Express;C:\Program Files\Autodesk\AutoCAD 2015\Support\Color;C:\Program Files\Autodesk\AutoCAD 2015\ACA;C:\ProgramData\Autodesk\ACA 2015\enu\Layers\

Value 5
 Name: IDropFilePath
 Type: REG_SZ
 Data:

Value 6
 Name: ColorBookLocation
 Type: REG_SZ
 Data: C:\Program Files\Autodesk\AutoCAD 2015\support\color;C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\support\color

Value 7

Name: AVEMAPS
Type: REG_SZ
Data: C:\Program Files (x86)\Common Files\Autodesk Shared\Materials\Textures\1\Mats

Value 8
Name: DwfFormat
Type: REG_DWORD
Data: 0x1

Value 9
Name: WSAUTOSAVE
Type: REG_DWORD
Data: 0x1

Value 10
Name: Attdia
Type: REG_DWORD
Data: 0x1

Value 11
Name: BackgroundPlot
Type: REG_DWORD
Data: 0

Value 12
Name: HatchPatternAssociativity
Type: REG_DWORD
Data: 0

Value 13
Name: Scrollbars
Type: REG_DWORD
Data: 0

Value 14
Name: ShowFullPathInTitle
Type: REG_DWORD
Data: 0

Value 15
Name: ShowProxyDialog
Type: REG_DWORD
Data: 0

Value 16
Name: UseAcadHelpFile
Type: REG_DWORD
Data: 0x1

Value 17
Name: VtEnable
Type: REG_DWORD
Data: 0x1

Value 18
Name: PREVIEWFILTER
Type: REG_DWORD
Data: 0x6

Value 19
Name: ToolPalettePath
Type: REG_SZ
Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\Support\WorkspaceCatalog
(Imperial)

Value 20
Name: AlternativePageSetUpsTemplate
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Sheet (Imperial Stb).dwt

Value 21
Name: SheetSetTemplatePath
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\AutoCAD Templates

Value 22
Name: TemplatePath
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template

Value 23
Name: PlotLogPath
Type: REG_SZ
Data: C:\Users\Paul\AppData\Local\Autodesk\ACA 2015\enu\

Value 24
Name: DatabaseWorkSpacePath
Type: REG_SZ
Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\Data Links

Value 25
Name: ACTRECPATH
Type: REG_SZ
Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\support\Actions

Value 26
Name: ACTPATH
Type: REG_SZ
Data:

Value 27
Name: DGNMAPPINGPATH
Type: REG_SZ
Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\support

Value 28
Name: IESWEB
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\WebFiles\

Value 29
Name: RegisteredToolsPath
Type: REG_SZ
Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\Support\RegisteredTools\

Value 30
Name: NewTabPageProductName
Type: REG_SZ
Data: ACA

Value 31
Name: GTAUTO
Type: REG_DWORD
Data: 0

Value 32
Name: GTDEFAULT
Type: REG_DWORD
Data: 0

Value 33
Name: ACADHELP
Type: REG_SZ
Data: C:\Program Files\Autodesk\AutoCAD 2015\Help\index.html

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\General Configuration

Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: TempDirectory
Type: REG_SZ
Data: C:\Users\Paul\AppData\Local\Temp\

Value 1
Name: IsavePercent
Type: REG_DWORD
Data: 0

Value 2
Name: SsmAutoOpen
Type: REG_DWORD
Data: 0

Value 3
Name: GRIPPEROBJLIMIT
Type: REG_DWORD
Data: 0x7d0

Value 4
Name: NetLocation
Type: REG_SZ
Data: http://www.autodesk.com/autocadarchitecture

Value 5
Name: EnterpriseMenuFile
Type: REG_SZ
Data: .

Value 6
Name: MenuFile
Type: REG_SZ
Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\Support\ACA

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences\AecArchBase70
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences\AecArchBase70\UNIT_MM
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: StairUpperRiseLimit
Type: REG_SZ
Data: 200

Value 1
Name: SpaceFloorBoundaryThickness
Type: REG_SZ
Data: 150

Value 2
Name: RoofThickness
Type: REG_SZ
Data: 100

Value 3
Name: RailingHandrailHeight

Type: REG_SZ
Data: 1000

Value 4
Name: StairUpperTreadLimit
Type: REG_SZ
Data: 350

Value 5
Name: RailingBottomrailHeight
Type: REG_SZ
Data: 100

Value 6
Name: WallCleanupRadius
Type: REG_SZ
Data: 350

Value 7
Name: StairLowerTreadLimit
Type: REG_SZ
Data: 200

Value 8
Name: SpaceHeightOfSpaceAboveBoundary
Type: REG_SZ
Data: 0

Value 9
Name: SpaceCeilingBoundaryThickness
Type: REG_SZ
Data: 200

Value 10
Name: StairLowerRiseLimit
Type: REG_SZ
Data: 140

Value 11
Name: RailingGuardrailHeight
Type: REG_SZ
Data: 1200

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences\AecDcArch70
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: DCAecContentRoot
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\AEC Content

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences\AecGuiBase70
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: SIILocationRoot
Type: REG_SZ
Data: C:\ProgramData\Autodesk\ACA 2015\enu\Styles\Imperial

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences\AecIfc
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0

Name: IfcContentRoot
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Styles\

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
 Architecture (US Imperial) <default>\Preferences\AecProject70
 Class Name: <NO CLASS>
 Last Write Time: 8/20/2016 - 1:04 PM

Value 0
 Name: Project
 Type: REG_SZ
 Data: C:\Users\Paul\Documents\Autodesk\My Projects\

Value 1
 Name: Element Template
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Model (Imperial Stb).dwt

Value 2
 Name: XrefGroup Template
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Model (Imperial Stb).dwt

Value 3
 Name: Model View Template
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Model (Imperial Stb).dwt

Value 4
 Name: Section/Elevation View Template
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Model (Imperial Stb).dwt

Value 5
 Name: Detail View Template
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Model (Imperial Stb).dwt

Value 6
 Name: Sheet Set Template
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Aec Sheet Set (Imperial Stb).dst

Value 7
 Name: Project Template
 Type: REG_SZ
 Data: C:\ProgramData\Autodesk\ACA 2015\enu\Template\Commercial Template Project
 (Imperial)\Commercial Template Project (Imperial).apj

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
 Architecture (US Imperial) <default>\Preferences\AecPublish70
 Class Name: <NO CLASS>
 Last Write Time: 8/20/2016 - 1:04 PM

Value 0
 Name: PublishMetaData
 Type: REG_DWORD
 Data: 0

Value 1
 Name: PublishAutomaticPropsData
 Type: REG_DWORD
 Data: 0

Value 2
 Name: GroupByLayer
 Type: REG_DWORD
 Data: 0

Value 3
Name: CurrentPPL
Type: REG_SZ
Data: C:\Users\Paul\AppData\Roaming\Autodesk\ACA 2015\enu\Support\Aec DWF List.ppl

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences\AecUtilities70
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Preferences\AecUtilities70\ScheduleTagToolDefaults
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: _Door
Type: REG_SZ
Data: {5A9FB696-D23F-4750-9CF9-D5835087B625}

Value 1
Name: _Room
Type: REG_SZ
Data: {BBF4F4DB-E809-41E7-8EB1-A2B1E35F36AE}

Value 2
Name: _Wall
Type: REG_SZ
Data: {59560998-D1DD-41CC-A4C4-6CCFEA4B035C}

Value 3
Name: _Window
Type: REG_SZ
Data: {24F537FB-8897-427C-8905-1BFD622F139A}

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\StatusBar
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: DocumentStatusBar
Type: REG_DWORD
Data: 0x1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\StatusBar\Application
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: UnitsPane
Type: REG_DWORD
Data: 0

Value 1
Name: ShowPercentage
Type: REG_DWORD
Data: 0

Value 2
Name: CursorCoordinatesPane
Type: REG_DWORD
Data: 0

Value 3
Name: LineWeight
Type: REG_DWORD

Data: 0

Value 4
 Name: 3DOSnapPane
 Type: REG_DWORD
 Data: 0

Value 5
 Name: DynamicUCSPane
 Type: REG_DWORD
 Data: 0

Value 6
 Name: SelectionFilterPane
 Type: REG_DWORD
 Data: 0

Value 7
 Name: GizmoPane
 Type: REG_DWORD
 Data: 0

Value 8
 Name: InferRelationshipPane
 Type: REG_DWORD
 Data: 0

Value 9
 Name: Paper/ModelPane
 Type: REG_DWORD
 Data: 0x1

Value 10
 Name: TransparencyPane
 Type: REG_DWORD
 Data: 0

Value 11
 Name: DynInputPane
 Type: REG_DWORD
 Data: 0

Value 12
 Name: QuickProperties
 Type: REG_DWORD
 Data: 0

Value 13
 Name: SelectionCycling
 Type: REG_DWORD
 Data: 0

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
 Architecture (US Imperial) <default>\Tooltip
 Class Name: <NO CLASS>
 Last Write Time: 8/20/2016 - 1:04 PM

Value 0
 Name: Model bk color
 Type: REG_DWORD
 Data: 0xe1ffff

Value 1
 Name: Model color
 Type: REG_DWORD
 Data: 0

Value 2
 Name: Layout bk color

Type: REG_DWORD
Data: 0xe1ffff

Value 3
Name: Layout color
Type: REG_DWORD
Data: 0

Value 4
Name: Parallel bk color
Type: REG_DWORD
Data: 0xe1ffff

Value 5
Name: Parallel color
Type: REG_DWORD
Data: 0

Value 6
Name: Perspective bk color
Type: REG_DWORD
Data: 0xe1ffff

Value 7
Name: Perspective color
Type: REG_DWORD
Data: 0

Value 8
Name: BEdit bk color
Type: REG_DWORD
Data: 0xe1ffff

Value 9
Name: BEdit color
Type: REG_DWORD
Data: 0

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Variables
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Value 0
Name: APPFRAMERESOURCES
Type: REG_SZ
Data: pack://application:,,,/AecUiWindows;component/AecAppFrame.xaml

Value 1
Name: TRUSTEDPATHS
Type: REG_SZ
Data: ;

Value 2
Name: TRUSTEDDOMAINS
Type: REG_SZ
Data: *.autodesk.com;*.autodeskbutterfly.com;*.autocadws.com;*.google-analytics.com;s3.amazonaws.com/com.autodesk.;drawingfeed.visualtao.net;*.virtualearth.net

Value 3
Name: SECURELOAD
Type: REG_SZ
Data: 1

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\Features
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: SsmIntegration
Type: REG_SZ
Data: false

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\UI
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: ShowInfoCenterHelp
Type: REG_SZ
Data: true

Value 1
Name: ShowAppMenu
Type: REG_SZ
Data: true

Value 2
Name: ShowMenu
Type: REG_SZ
Data: true

Value 3
Name: ShowQAT
Type: REG_SZ
Data: true

Value 4
Name: ShowRibbon
Type: REG_SZ
Data: true

Value 5
Name: ShowToolbar
Type: REG_SZ
Data: true

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\UI\Menu
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\UI\Menu\Group1
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: ID
Type: REG_SZ
Data: AMPP

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\UI\Menu\Group1\File
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: ID
Type: REG_SZ
Data: ID_File

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\UI\Menu\Group1\File\OpenFromVault
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: InsertAfter
Type: REG_SZ
Data: ID_Open

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\UI\Menu\Group1\File\Vault
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: InsertAfter
Type: REG_SZ
Data: ID_Writeout

Key Name: HKEY_CURRENT_USER\SOFTWARE\Autodesk\AutoCAD\R20.0\ACAD-E004:409\Profiles\AutoCAD
Architecture (US Imperial) <default>\Vault\UI\Menu\Group1\Help
Class Name: <NO CLASS>
Last Write Time: 8/20/2016 - 1:04 PM
Value 0
Name: ShowInfoCenterHelp
Type: REG_SZ
Data: false

Value 1
Name: ID
Type: REG_SZ
Data: ID_HelpPop

Value 2
Name: InsertAfter
Type: REG_SZ
Data: ID_Help