1. when I create new template by use **acadiso3D.dwt**, when I click open it show me the error message. Please refer the picture.

A -		h · r> · 🖨 ₹				AutoCAD 2010
	File Edit Viev	v Insert Format To	ools Draw Dimension Modify 翁 (ホ ・ アン ・) 🐒 🔍 🔍 📿			- 4
			ऽ। \\ • F/ • \> \\ \ ऐ ि ि ि⊡ ।	19 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
\leq	An Select templat			82 - 8 - 11	×	
2	Look in:	1-		, X En <u>V</u> iews ▼ ` neview	Too <u>l</u> s 🔻	
	4	Name A	Date modified ▼ Type 12/30/2009 10:2 File Folde	eview	1	
	History	J SheetSets	12/30/2009 10:2 File Fold			
~	1000	acad.dwt acad3D.dwt	1/17/2009 5:25 PM AutoCAE 1/17/2009 5:24 PM AutoCAE			
0		acad -Named Plot St	1/17/2009 5:24 PM AutoCAE			
8	Documents	acad -Named Plot St	1/17/2009 5:24 PM AutoCAE 1/17/2009 5:24 PM AutoCAE			
0		acadiso3D.dwt	1/17/2009 5:24 PM AutoCAE			
9	Favorites		ype: AutoCAD Template			
Ę.	12	Tutorial-iArch.dwt	ze: 167 KB ate modified: 1/17/2009 5:24 PM			
₽	FTP	Tutorial-iMfg.dwt	1/17/2009 5:19 PM AutoCAL 1/17/2009 5:19 PM AutoCAL			
• tsst		iiii Tutorial-mMfg.dwt	1/17/2009 5:25 PM AutoCAE			
対して		•	F			
	Desktop					
	<u> 12</u>	File name; acadiso3D.	.dwt	▼ <u>O</u> r	en 🔽	
A	Buzzsaw		emplate (*.dwt)		ancel	
		Files of type. [bidwing fo	inplace (.uwry			
4-						AutoCAD 2010
	File Edit Viev	v Insert Format Too		Parametric Window	Help Express	
				::::::::::::::::::::::::::::::::::::::		
~						
2						
\bigcirc						
1						
0		A	utoCAD Error Aborting		×	
8						11 ₂₁
0			FATAL ERROR: Unhandled Access Viol	ation Writing 0x0000 Excer	ation at 0h	
9			TATALENCON, Official died Access 101	alaon writing 0x0000 EXCEp		
ŝ						
5				r	ок	

2.second is when I open my customer file. It drawing make by AutoCAD and they use a **3D** wireframe visual styles. When I change the visual style became Realistic visual styles, it show me the same error message.



