



- NOTES**
- ① = 10.0"
  - ① = 6" STANDARD CURB. SEE PV-102.
  - ② = 6" STANDARD CURB WITH BIO-CELL CURB DROP. SEE DETAIL 'A'.
  - ③ = 4" LONGITUDINAL SUBDRAIN. SEE RF-19C, TYPE 12 INSTALLATION.
  - ④ = SEE CROSS SECTION SHEETS FOR UNDERCUT EXCAVATION ELEVATIONS.
  - ⑤ = EARTH SHOULDER FINISHING
- NORMAL SECTIONS SHOWN MAY BE MODIFIED APPROPRIATELY IN AREAS SUCH AS AT INTERSECTIONS.
- \*K1-2' AND 1-2' JOINTS ARE INTERCHANGEABLE, SUBJECT TO THE POURING SEQUENCE.
- TRANSVERSE JOINTS TO BE 'CO' AT 20' SPACING.

ENGLISH IOWA DOT DESIGN TEAM **B. JOHNSON / P. BAELE / P. RAMIREZ** SCOTT COUNTY

**Missman, Inc.**  
Professional Surveyors & Engineers  
219 North 1st Street, Des Moines, IA 50319  
515-281-1111

**TYPICAL CROSS SECTIONS**  
FOREST GROVE ROAD  
UTICA RIDGE ROAD TO EAGLE RIDGE ROAD  
PROJECT NUMBER **STP-U-1827(665)-70-82**

DESIGNED BY: BAL  
DRAWN BY: PAR  
CHECKED BY: BAL  
FIELD BOOK: NONE  
SCALE: NONE  
CITY PN:  
DWG. FOLDER: C13M007

DATE: 04-29-14  
REVISED: -  
SHEET NUMBER **B.1**