

File Edit View History Bookmarks Tools Help

PLM - Deviation Authorization +

https://tpi.autodeskplm360.net/workspace#workspaceid=40

Main Menu Reports Tools Administration

My Default View Deviation Authorization + Search Workspace

| Item Descriptor   | Current State         | Owner        |
|---|-----------------------|--------------|
| DEV-0830 Paste Application for Closing                      | Deviation Distributed | Mirna2013    |
| DEV-0828 Medium paste for RCO                               | Deviation Distributed | Mirna2013    |
| DEV-0795 60" NST under blue film on skins lay up            | Close Deviation       | Mirna2013    |
| DEV-0794 NST Under Blue Film on LE and TE SWs               | Close Deviation       | aaroneldal   |
| DEV-0793 25" Green Flow on both TE and LE Shear Webs        | Close Deviation       | Mirna2013    |
| DEV-0792 Black Tacky Tape for ONLY bonding omega and compof | Close Deviation       | Mirna2013    |
| DEV-0791 Program 11 for infusion RCOs                       | Close Deviation       | Mirna2013    |
| DEV-0790 Black Tacky Tape for ONLY bonding omega and compof | Close Deviation       | Mirna2013    |
| DEV-0789 Curing Root Prefabs                                | Close Deviation       | Mirna2013    |
| DEV-0788 Temporary new vacuum bag for shear webs            | Close Deviation       | Mirna2013    |
| DEV-0787 Cable Radius                                       | Close Deviation       | KirkBaker    |
| DEV-0786 25" Green Flow on both TE and LE Shear Webs        | Close Deviation       | Mirna2013    |
| DEV-0784 Paste Hardener 137GF ONLY for closing blades       | Close Deviation       | Mirna2013    |
| DEV-0783 Reduction in Bondo                                 | Close Deviation       | RandyWoods   |
| DEV-0782 Sikaflex replacing 3M sealant ONLY for root band   | Close Deviation       | Mirna2013    |
| DEV-0781 Paste hardener 137GF ONLY for closing              | Close Deviation       | Mirna2013    |
| DEV-0779 Paste hardener 137GF for closing                   | Close Deviation       | Mirna2013    |
| DEV-0778 Changes on the TE Prefab Lay Up                    | Close Deviation       | Mirna2013    |
| DEV-0777 Zero Degree Trial                                  | Close Deviation       | RandyWoods   |
| DEV-0776 Infusion Prep                                      | Close Deviation       | LaineShipman |
| DEV-0775 ONLY FOR LP SKINS: Modified skin cure profile # 2  | Close Deviation       | Mirna2013    |
| DEV-0774 Root Band Trial                                    | Deviation Approved    | KirkBaker    |
| DEV-0773 25" Green Flow on both TE and LE Shear Webs        | Close Deviation       | Mirna2013    |
| DEV-0772 Blue mesh replacing green mesh                     | Close Deviation       | Mirna2013    |
| DEV-0771 Temporary new vacuum bag for shear webs            | Close Deviation       | Mirna2013    |
| DEV-0770 Aligning to Laser                                  | Close Deviation       | RandyWoods   |
| DEV-0769 GLASS UD 970GSM                                    | Close Deviation       | Ieocallen    |
| DEV-0768 25" green flow on both TE and LE shear webs.       | Close Deviation       | Mirna2013    |

Total number of records in this view: 167